

1RESRAD, Version 6.22 T½ Limit = 0.5 year
Summary : Fernald dose calculation
File : Fernald_WCS_disposal_Rancher-0-001.rad

Fernald_WCS_disposal_Rancher-0-001.sum
03/07/2006 14:52 Page 1

Table of Contents

Part I: Mixture Sums and Single Radionuclide Guidelines

Dose Conversion Factor (and Related) Parameter Summary ...	2
Site-Specific Parameter Summary	3
Summary of Pathway Selections	8
Contaminated Zone and Total Dose Summary	9
Total Dose Components	
Time = 0.000E+00	10
Time = 1.000E+02	11
Time = 9.150E+03	12
Time = 1.000E+05	13
Dose/Source Ratios Summed Over All Pathways	14
Single Radionuclide Soil Guidelines	14
Dose Per Nuclide Summed Over All Pathways	15
Soil Concentration Per Nuclide	15

1RESRAD, Version 6.22 T½ Limit = 0.5 year 03/07/2006 14:52 Page 2
Summary : Fernald dose calculation
File : Fernald_WCS_disposal_Rancher-0-001.rad

Dose Conversion Factor (and Related) Parameter Summary File: FGR 13 Morbidity

0	Parameter	Current Value	Default	Parameter Name
B-1	Dose conversion factors for inhalation, mrem/nCi:			
B-1	Pb-210+D	2.320E+01	2.320E+01	DCF2(1)
B-1	Ra-226+D	8.600E+00	8.600E+00	DCF2(2)
B-1	Th-230	3.260E+02	3.260E+02	DCF2(3)
D-1	Dose conversion factors for ingestion, mrem/nCi:			
D-1	Pb-210+D	7.270E+00	7.270E+00	DCF3(1)
D-1	Ra-226+D	1.330E+00	1.330E+00	DCF3(2)
D-1	Th-230	5.480E-01	5.480E-01	DCF3(3)
D-34	Food transfer factors:			
D-34	Pb-210+D , plant/soil concentration ratio, dimensionless	1.000E-02	1.000E-02	RTF(1,1)
D-34	Pb-210+D , beef/livestock-intake ratio, (nCi/kg)/(nCi/d)	8.000E-04	8.000E-04	RTF(1,2)
D-34	Pb-210+D , milk/livestock-intake ratio, (nCi/L)/(nCi/d)	3.000E-04	3.000E-04	RTF(1,3)
D-34	Ra-226+D , plant/soil concentration ratio, dimensionless	4.000E-02	4.000E-02	RTF(2,1)
D-34	Ra-226+D , beef/livestock-intake ratio, (nCi/kg)/(nCi/d)	1.000E-03	1.000E-03	RTF(2,2)
D-34	Ra-226+D , milk/livestock-intake ratio, (nCi/L)/(nCi/d)	1.000E-03	1.000E-03	RTF(2,3)
D-34	Th-230 , plant/soil concentration ratio, dimensionless	1.000E-03	1.000E-03	RTF(3,1)
D-34	Th-230 , beef/livestock-intake ratio, (nCi/kg)/(nCi/d)	1.000E-04	1.000E-04	RTF(3,2)

Fernald WCS_disposal_Rancher-0-001.sum					
D-34	Th-230 , milk/livestock-intake ratio, (nCi/L)/(nCi/d)	5.000E-06	5.000E-06	RTF(3,3)	
D-5	Bioaccumulation factors, fresh water, L/kg:				
D-5	Pb-210+D , fish	3.000E+02	3.000E+02	BIOFAC(1,1)	
D-5	Pb-210+D , crustacea and mollusks	1.000E+02	1.000E+02	BIOFAC(1,2)	
D-5					
D-5	Ra-226+D , fish	5.000E+01	5.000E+01	BIOFAC(2,1)	
D-5	Ra-226+D , crustacea and mollusks	2.500E+02	2.500E+02	BIOFAC(2,2)	
D-5					
D-5	Th-230 , fish	1.000E+02	1.000E+02	BIOFAC(3,1)	
D-5	Th-230 , crustacea and mollusks	5.000E+02	5.000E+02	BIOFAC(3,2)	

1RESRAD, Version 6.22 $T_{1/2}$ Limit = 0.5 year 03/07/2006 14:52 Page 3
 Summary : Fernald dose calculation
 File : Fernald_WCS_disposal_Rancher-0-001.rad

Site-Specific Parameter Summary					
0	Parameter	User Input	Default	Used by RESRAD (If different from user input)	Parameter Name
R011	Area of contaminated zone (m**2)	1.957E+04	1.000E+04	---	AREA
R011	Thickness of contaminated zone (m)	8.230E+00	2.000E+00	---	THICK0
R011	Length parallel to aquifer flow (m)	1.400E+02	1.000E+02	---	LCZPAQ
R011	Basic radiation dose limit (mrem/yr)	2.500E+01	2.500E+01	---	BRDL
R011	Time since placement of material (yr)	0.000E+00	0.000E+00	---	TI
R011	Times for calculations (yr)	1.000E+02	1.000E+00	---	T(2)
R011	Times for calculations (yr)	9.150E+03	3.000E+00	---	T(3)
R011	Times for calculations (yr)	1.000E+05	1.000E+01	---	T(4)
R011	Times for calculations (yr)	not used	3.000E+01	---	T(5)
R011	Times for calculations (yr)	not used	1.000E+02	---	T(6)
R011	Times for calculations (yr)	not used	3.000E+02	---	T(7)
R011	Times for calculations (yr)	not used	1.000E+03	---	T(8)
R011	Times for calculations (yr)	not used	0.000E+00	---	T(9)
R011	Times for calculations (yr)	not used	0.000E+00	---	T(10)
R012	Initial principal radionuclide (nCi/g): Pb-210	5.480E+00	0.000E+00	---	S1(1)
R012	Initial principal radionuclide (nCi/g): Ra-226	1.126E+01	0.000E+00	---	S1(2)
R012	Initial principal radionuclide (nCi/g): Th-230	1.830E+00	0.000E+00	---	S1(3)
R012	Concentration in groundwater (nCi/L): Pb-210	not used	0.000E+00	---	W1(1)
R012	Concentration in groundwater (nCi/L): Ra-226	not used	0.000E+00	---	W1(2)
R012	Concentration in groundwater (nCi/L): Th-230	not used	0.000E+00	---	W1(3)
R013	Cover depth (m)	9.140E+00	0.000E+00	---	COVER0
R013	Density of cover material (g/cm***3)	2.135E+00	1.500E+00	---	DENSCV
R013	Cover depth erosion rate (m/yr)	1.000E-03	1.000E-03	---	VCV
R013	Density of contaminated zone (g/cm***3)	2.041E+00	1.500E+00	---	DENSCZ
R013	Contaminated zone erosion rate (m/yr)	1.000E-03	1.000E-03	---	VCZ
R013	Contaminated zone total porosity	4.000E-01	4.000E-01	---	TPCZ
R013	Contaminated zone field capacity	2.000E-01	2.000E-01	---	FCCZ
R013	Contaminated zone hydraulic conductivity (m/yr)	1.000E+01	1.000E+01	---	HCCZ
R013	Contaminated zone b parameter	5.300E+00	5.300E+00	---	BCZ
R013	Average annual wind speed (m/sec)	3.100E+00	2.000E+00	---	WIND

Fernald_WCS_disposal_Rancher-0-001.sum					
R013	Humidity in air (g/m**3)	not used	8.000E+00	---	HUMID
R013	Evapotranspiration coefficient	9.100E-01	5.000E-01	---	EVAPTR
R013	Precipitation (m/yr)	3.600E-01	1.000E+00	---	PRECIP
R013	Irrigation (m/yr)	0.000E+00	2.000E-01	---	RI
R013	Irrigation mode	overhead	overhead	---	IDITCH
R013	Runoff coefficient	9.100E-01	2.000E-01	---	RUNOFF
R013	Watershed area for nearby stream or pond (m**2)	1.000E+06	1.000E+06	---	WAREA
R013	Accuracy for water/soil computations	1.000E-03	1.000E-03	---	EPS
R014	Density of saturated zone (g/cm**3)	2.040E+00	1.500E+00	---	DENSAQ
R014	Saturated zone total porosity	1.400E-01	4.000E-01	---	TPSZ
R014	Saturated zone effective porosity	1.400E-01	2.000E-01	---	EPSZ
R014	Saturated zone field capacity	2.000E-01	2.000E-01	---	FCSZ
R014	Saturated zone hydraulic conductivity (m/yr)	1.000E-02	1.000E+02	---	HCSZ
R014	Saturated zone hydraulic gradient	1.600E-02	2.000E-02	---	HGWT
R014	Saturated zone b parameter	not used	5.300E+00	---	BSZ
R014	Water table drop rate (m/yr)	0.000E+00	1.000E-03	---	VWT
R014	Well pump intake depth (m below water table)	8.530E+00	1.000E+01	---	DWIBWT

1RESRAD, Version 6.22 T½ Limit = 0.5 year
 Summary : Fernald dose calculation
 File : Fernald_WCS_disposal_Rancher-0-001.rad

Site-Specific Parameter Summary (continued)

0 Menu	Parameter	User Input	Default	Used by RESRAD (If different from user input)	Parameter Name
R014	Model: Nondispersion (ND) or Mass-Balance (MB)	ND	ND	---	MODEL
R014	Well pumping rate (m**3/yr)	not used	2.500E+02	---	UW
R015	Number of unsaturated zone strata	4	1	---	NS
R015	Unsat. zone 1, thickness (m)	4.000E+00	4.000E+00	---	H(1)
R015	Unsat. zone 1, soil density (g/cm**3)	2.140E+00	1.500E+00	---	DENSUZ(1)
R015	Unsat. zone 1, total porosity	3.010E-01	4.000E-01	---	TPUZ(1)
R015	Unsat. zone 1, effective porosity	3.010E-01	2.000E-01	---	EPUZ(1)
R015	Unsat. zone 1, field capacity	2.000E-01	2.000E-01	---	FCUZ(1)
R015	Unsat. zone 1, soil-specific b parameter	5.300E+00	5.300E+00	---	BUZ(1)
R015	Unsat. zone 1, hydraulic conductivity (m/yr)	1.400E-03	1.000E+01	---	HCUZ(1)
R015	Unsat. zone 2, thickness (m)	4.000E+00	0.000E+00	---	H(2)
R015	Unsat. zone 2, soil density (g/cm**3)	2.140E+00	1.500E+00	---	DENSUZ(2)
R015	Unsat. zone 2, total porosity	3.010E-01	4.000E-01	---	TPUZ(2)
R015	Unsat. zone 2, effective porosity	3.010E-01	2.000E-01	---	EPUZ(2)
R015	Unsat. zone 2, field capacity	2.000E-01	2.000E-01	---	FCUZ(2)
R015	Unsat. zone 2, soil-specific b parameter	5.300E+00	5.300E+00	---	BUZ(2)
R015	Unsat. zone 2, hydraulic conductivity (m/yr)	1.400E-03	1.000E+01	---	HCUZ(2)
R015	Unsat. zone 3, thickness (m)	8.500E+00	0.000E+00	---	H(3)
R015	Unsat. zone 3, soil density (g/cm**3)	2.040E+00	1.500E+00	---	DENSUZ(3)
R015	Unsat. zone 3, total porosity	1.400E-01	4.000E-01	---	TPUZ(3)
R015	Unsat. zone 3, effective porosity	1.400E-01	2.000E-01	---	EPUZ(3)
R015	Unsat. zone 3, field capacity	2.000E-01	2.000E-01	---	FCUZ(3)
R015	Unsat. zone 3, soil-specific b parameter	5.300E+00	5.300E+00	---	BUZ(3)

Fernald_WCS_disposal_Rancher-0-001.sum						
R015	Unsat. zone 3, hydraulic conductivity (m/yr)	1.100E-01	1.000E+01	---		HCUZ(3)
R015	Unsat. zone 4, thickness (m)	3.200E+01	0.000E+00	---		H(4)
R015	Unsat. zone 4, soil density (g/cm**3)	2.140E+00	1.500E+00	---		DENSUZ(4)
R015	Unsat. zone 4, total porosity	3.010E-01	4.000E-01	---		TPUZ(4)
R015	Unsat. zone 4, effective porosity	3.010E-01	2.000E-01	---		EPUZ(4)
R015	Unsat. zone 4, field capacity	2.000E-01	2.000E-01	---		FCUZ(4)
R015	Unsat. zone 4, soil-specific b parameter	5.300E+00	5.300E+00	---		BUZ(4)
R015	Unsat. zone 4, hydraulic conductivity (m/yr)	1.400E-03	1.000E+01	---		HCUZ(4)
R016	Distribution coefficients for Pb-210					
R016	Contaminated zone (cm**3/g)	5.970E+02	1.000E+02	---		DCNUCC(1)
R016	Unsaturated zone 1 (cm**3/g)	5.500E+02	1.000E+02	---		DCNUCU(1,1)
R016	Unsaturated zone 2 (cm**3/g)	5.500E+02	1.000E+02	---		DCNUCU(1,2)
R016	Unsaturated zone 3 (cm**3/g)	2.700E+02	1.000E+02	---		DCNUCU(1,3)
R016	Unsaturated zone 4 (cm**3/g)	5.500E+02	1.000E+02	---		DCNUCU(1,4)
R016	Saturated zone (cm**3/g)	2.700E+02	1.000E+02	---		DCNUCS(1)
R016	Leach rate (/yr)	0.000E+00	0.000E+00	2.907E-07		ALEACH(1)
R016	Solubility constant	0.000E+00	0.000E+00	not used		SOLUBK(1)
1RESRAD, Version 6.22	T½ Limit = 0.5 year	03/07/2006	14:52	Page 5		
Summary : Fernald dose calculation						
File : Fernald_WCS_disposal_Rancher-0-001.rad						

Site-Specific Parameter Summary (continued)					
0 Menu	Parameter	User Input	Default	Used by RESRAD (If different from user input)	Parameter Name
R016	Distribution coefficients for Ra-226				
R016	Contaminated zone (cm**3/g)	7.000E+01	7.000E+01	---	DCNUCC(2)
R016	Unsaturated zone 1 (cm**3/g)	9.100E+03	7.000E+01	---	DCNUCU(2,1)
R016	Unsaturated zone 2 (cm**3/g)	9.100E+03	7.000E+01	---	DCNUCU(2,2)
R016	Unsaturated zone 3 (cm**3/g)	5.000E+02	7.000E+01	---	DCNUCU(2,3)
R016	Unsaturated zone 4 (cm**3/g)	9.100E+03	7.000E+01	---	DCNUCU(2,4)
R016	Saturated zone (cm**3/g)	5.000E+02	7.000E+01	---	DCNUCS(2)
R016	Leach rate (/yr)	0.000E+00	0.000E+00	2.476E-06	ALEACH(2)
R016	Solubility constant	0.000E+00	0.000E+00	not used	SOLUBK(2)
R016	Distribution coefficients for Th-230				
R016	Contaminated zone (cm**3/g)	6.000E+04	6.000E+04	---	DCNUCC(3)
R016	Unsaturated zone 1 (cm**3/g)	5.800E+03	6.000E+04	---	DCNUCU(3,1)
R016	Unsaturated zone 2 (cm**3/g)	5.800E+03	6.000E+04	---	DCNUCU(3,2)
R016	Unsaturated zone 3 (cm**3/g)	3.200E+03	6.000E+04	---	DCNUCU(3,3)
R016	Unsaturated zone 4 (cm**3/g)	5.800E+03	6.000E+04	---	DCNUCU(3,4)
R016	Saturated zone (cm**3/g)	3.200E+03	6.000E+04	---	DCNUCS(3)
R016	Leach rate (/yr)	0.000E+00	0.000E+00	2.893E-09	ALEACH(3)
R016	Solubility constant	0.000E+00	0.000E+00	not used	SOLUBK(3)
R017	Inhalation rate (m**3/yr)	8.400E+03	8.400E+03	---	INHALR
R017	Mass loading for inhalation (g/m**3)	1.000E-04	1.000E-04	---	MLINH
R017	Exposure duration	3.000E+01	3.000E+01	---	ED
R017	Shielding factor, inhalation	4.000E-01	4.000E-01	---	SHF3
R017	Shielding factor, external gamma	7.000E-01	7.000E-01	---	SHF1

Fernald_WCS_disposal_Rancher-0-001.sum					
R017	Fraction of time spent indoors	0.000E+00	5.000E-01	---	FIND
R017	Fraction of time spent outdoors (on site)	1.000E+00	2.500E-01	---	FOTD
R017	Shape factor flag, external gamma	1.000E+00	1.000E+00	>0 shows circular AREA.	FS
R017	Radii of shape factor array (used if FS = -1):				
R017	Outer annular radius (m), ring 1:	not used	5.000E+01	---	RAD_SHAPE(1)
R017	Outer annular radius (m), ring 2:	not used	7.071E+01	---	RAD_SHAPE(2)
R017	Outer annular radius (m), ring 3:	not used	0.000E+00	---	RAD_SHAPE(3)
R017	Outer annular radius (m), ring 4:	not used	0.000E+00	---	RAD_SHAPE(4)
R017	Outer annular radius (m), ring 5:	not used	0.000E+00	---	RAD_SHAPE(5)
R017	Outer annular radius (m), ring 6:	not used	0.000E+00	---	RAD_SHAPE(6)
R017	Outer annular radius (m), ring 7:	not used	0.000E+00	---	RAD_SHAPE(7)
R017	Outer annular radius (m), ring 8:	not used	0.000E+00	---	RAD_SHAPE(8)
R017	Outer annular radius (m), ring 9:	not used	0.000E+00	---	RAD_SHAPE(9)
R017	Outer annular radius (m), ring 10:	not used	0.000E+00	---	RAD_SHAPE(10)
R017	Outer annular radius (m), ring 11:	not used	0.000E+00	---	RAD_SHAPE(11)
R017	Outer annular radius (m), ring 12:	not used	0.000E+00	---	RAD_SHAPE(12)

1RESRAD, Version 6.22 T½ Limit = 0.5 year 03/07/2006 14:52 Page 6
 Summary : Fernald dose calculation
 File : Fernald_WCS_disposal_Rancher-0-001.rad

Site-Specific Parameter Summary (continued)					
0 Menu	Parameter	User Input	Default	Used by RESRAD (If different from user input)	Parameter Name
R017	Fractions of annular areas within AREA:				
R017	Ring 1	not used	1.000E+00	---	FRACA(1)
R017	Ring 2	not used	2.732E-01	---	FRACA(2)
R017	Ring 3	not used	0.000E+00	---	FRACA(3)
R017	Ring 4	not used	0.000E+00	---	FRACA(4)
R017	Ring 5	not used	0.000E+00	---	FRACA(5)
R017	Ring 6	not used	0.000E+00	---	FRACA(6)
R017	Ring 7	not used	0.000E+00	---	FRACA(7)
R017	Ring 8	not used	0.000E+00	---	FRACA(8)
R017	Ring 9	not used	0.000E+00	---	FRACA(9)
R017	Ring 10	not used	0.000E+00	---	FRACA(10)
R017	Ring 11	not used	0.000E+00	---	FRACA(11)
R017	Ring 12	not used	0.000E+00	---	FRACA(12)
R018	Fruits, vegetables and grain consumption (kg/yr)	not used	1.600E+02	---	DIET(1)
R018	Leafy vegetable consumption (kg/yr)	not used	1.400E+01	---	DIET(2)
R018	Milk consumption (L/yr)	not used	9.200E+01	---	DIET(3)
R018	Meat and poultry consumption (kg/yr)	not used	6.300E+01	---	DIET(4)
R018	Fish consumption (kg/yr)	not used	5.400E+00	---	DIET(5)
R018	Other seafood consumption (kg/yr)	not used	9.000E-01	---	DIET(6)
R018	Soil ingestion rate (g/yr)	not used	3.650E+01	---	SOIL
R018	Drinking water intake (L/yr)	5.100E+02	5.100E+02	---	DWI
R018	Contamination fraction of drinking water	1.000E+00	1.000E+00	---	FDW
R018	Contamination fraction of household water	not used	1.000E+00	---	FHHW
R018	Contamination fraction of livestock water	not used	1.000E+00	---	FLW
R018	Contamination fraction of irrigation water	not used	1.000E+00	---	FIRW
R018	Contamination fraction of aquatic food	not used	5.000E-01	---	FR9

Fernald_WCS_disposal_Rancher-0-001.sum					
R018	Contamination fraction of plant food	not used	-1	---	FPLANT
R018	Contamination fraction of meat	not used	-1	---	FMEAT
R018	Contamination fraction of milk	not used	-1	---	FMILK
R019	Livestock fodder intake for meat (kg/day)	not used	6.800E+01	---	LFIS5
R019	Livestock fodder intake for milk (kg/day)	not used	5.500E+01	---	LFIS6
R019	Livestock water intake for meat (L/day)	not used	5.000E+01	---	LWIS5
R019	Livestock water intake for milk (L/day)	not used	1.600E+02	---	LWIS6
R019	Livestock soil intake (kg/day)	not used	5.000E-01	---	LSI
R019	Mass loading for foliar deposition (g/m**3)	not used	1.000E-04	---	MLFD
R019	Depth of soil mixing layer (m)	1.500E-01	1.500E-01	---	DM
R019	Depth of roots (m)	not used	9.000E-01	---	DROOT
R019	Drinking water fraction from ground water	1.000E+00	1.000E+00	---	FGWDW
R019	Household water fraction from ground water	not used	1.000E+00	---	FGWHH
R019	Livestock water fraction from ground water	not used	1.000E+00	---	FGWLW
R019	Irrigation fraction from ground water	not used	1.000E+00	---	FGWIR
R19B	Wet weight crop yield for Non-Leafy (kg/m**2)	not used	7.000E-01	---	YV(1)
R19B	Wet weight crop yield for Leafy (kg/m**2)	not used	1.500E+00	---	YV(2)
R19B	Wet weight crop yield for Fodder (kg/m**2)	not used	1.100E+00	---	YV(3)
R19B	Growing Season for Non-Leafy (years)	not used	1.700E-01	---	TE(1)
R19B	Growing Season for Leafy (years)	not used	2.500E-01	---	TE(2)
R19B	Growing Season for Fodder (years)	not used	8.000E-02	---	TE(3)

1RESRAD, Version 6.22 T½ Limit = 0.5 year

03/07/2006 14:52 Page 7

Summary : Fernald dose calculation

File : Fernald_WCS_disposal_Rancher-0-001.rad

Site-Specific Parameter Summary (continued)

0 Menu	Parameter	User Input	Default	Used by RESRAD (If different from user input)	Parameter Name
R19B	Translocation Factor for Non-Leafy	not used	1.000E-01	---	TIV(1)
R19B	Translocation Factor for Leafy	not used	1.000E+00	---	TIV(2)
R19B	Translocation Factor for Fodder	not used	1.000E+00	---	TIV(3)
R19B	Dry Foliar Interception Fraction for Non-Leafy	not used	2.500E-01	---	RDRY(1)
R19B	Dry Foliar Interception Fraction for Leafy	not used	2.500E-01	---	RDRY(2)
R19B	Dry Foliar Interception Fraction for Fodder	not used	2.500E-01	---	RDRY(3)
R19B	Wet Foliar Interception Fraction for Non-Leafy	not used	2.500E-01	---	RWET(1)
R19B	Wet Foliar Interception Fraction for Leafy	not used	2.500E-01	---	RWET(2)
R19B	Wet Foliar Interception Fraction for Fodder	not used	2.500E-01	---	RWET(3)
R19B	Weathering Removal Constant for Vegetation	not used	2.000E+01	---	WLAM
C14	C-12 concentration in water (g/cm**3)	not used	2.000E-05	---	C12WTR
C14	C-12 concentration in contaminated soil (g/g)	not used	3.000E-02	---	C12CZ
C14	Fraction of vegetation carbon from soil	not used	2.000E-02	---	CSOIL
C14	Fraction of vegetation carbon from air	not used	9.800E-01	---	CAIR
C14	C-14 evasion layer thickness in soil (m)	not used	3.000E-01	---	DMC
C14	C-14 evasion flux rate from soil (1/sec)	not used	7.000E-07	---	EVSN
C14	C-12 evasion flux rate from soil (1/sec)	not used	1.000E-10	---	REVSN
C14	Fraction of grain in beef cattle feed	not used	8.000E-01	---	AVFG4
C14	Fraction of grain in milk cow feed	not used	2.000E-01	---	AVFG5
C14	DCF correction factor for gaseous forms of C14	not used	8.894E+01	---	CO2F

Fernald_WCS_disposal_Rancher-0-001.sum					
STOR	Storage times of contaminated foodstuffs (days):				
STOR	Fruits, non-leafy vegetables, and grain	1.400E+01	1.400E+01	---	STOR_T(1)
STOR	Leafy vegetables	1.000E+00	1.000E+00	---	STOR_T(2)
STOR	Milk	1.000E+00	1.000E+00	---	STOR_T(3)
STOR	Meat and poultry	2.000E+01	2.000E+01	---	STOR_T(4)
STOR	Fish	7.000E+00	7.000E+00	---	STOR_T(5)
STOR	Crustacea and mollusks	7.000E+00	7.000E+00	---	STOR_T(6)
STOR	Well water	1.000E+00	1.000E+00	---	STOR_T(7)
STOR	Surface water	1.000E+00	1.000E+00	---	STOR_T(8)
STOR	Livestock fodder	4.500E+01	4.500E+01	---	STOR_T(9)
R021	Thickness of building foundation (m)	not used	1.500E-01	---	FLOOR1
R021	Bulk density of building foundation (g/cm**3)	not used	2.400E+00	---	DENSFL
R021	Total porosity of the cover material	not used	4.000E-01	---	TPCV
R021	Total porosity of the building foundation	not used	1.000E-01	---	TPFL
R021	Volumetric water content of the cover material	not used	5.000E-02	---	PH2OCV
R021	Volumetric water content of the foundation	not used	3.000E-02	---	PH2OFL
R021	Diffusion coefficient for radon gas (m/sec):				
R021	in cover material	not used	2.000E-06	---	DIFCV
R021	in foundation material	not used	3.000E-07	---	DIFFL
R021	in contaminated zone soil	not used	2.000E-06	---	DIFCZ
R021	Radon vertical dimension of mixing (m)	not used	2.000E+00	---	HMX
R021	Average building air exchange rate (1/hr)	not used	5.000E-01	---	REXG
R021	Height of the building (room) (m)	not used	2.500E+00	---	HRM
R021	Building interior area factor	not used	0.000E+00	---	FAI
R021	Building depth below ground surface (m)	not used	-1.000E+00	---	DMFL
R021	Emanating power of Rn-222 gas	not used	2.500E-01	---	EMANA(1)
R021	Emanating power of Rn-220 gas	not used	1.500E-01	---	EMANA(2)

1RESRAD, Version 6.22 T½ Limit = 0.5 year 03/07/2006 14:52 Page 8
 Summary : Fernald dose calculation
 File : Fernald_WCS_disposal_Rancher-0-001.rad

Site-Specific Parameter Summary (continued)					
0	Parameter	User Input	Default	Used by RESRAD (If different from user input)	Parameter Name
TITL	Number of graphical time points	1024	---	---	NPTS
TITL	Maximum number of integration points for dose	17	---	---	LYMAX
TITL	Maximum number of integration points for risk	1	---	---	KYMAX

Summary of Pathway Selections

Pathway	User Selection
1 -- external gamma	active
2 -- inhalation (w/o radon)	active
3 -- plant ingestion	suppressed

	Fernald_WCS_disposal_Rancher-0-001.sum
4 -- meat ingestion	suppressed
5 -- milk ingestion	suppressed
6 -- aquatic foods	suppressed
7 -- drinking water	active
8 -- soil ingestion	suppressed
9 -- radon	suppressed
Find peak pathway doses	active

1RESRAD, Version 6.22 $T_{1/2}$ Limit = 0.5 year 03/07/2006 14:52 Page 9
 Summary : Fernald dose calculation
 File : Fernald_WCS_disposal_Rancher-0-001.rad

Contaminated Zone Dimensions		Initial Soil Concentrations, nCi/g					
Area:	19570.00 square meters	Pb-210	5.480E+00				
Thickness:	8.23 meters	Ra-226	1.126E+01				
Cover Depth:	9.14 meters	Th-230	1.830E+00				
<hr/>							
0 Total Dose TDOSE(t), mrem/yr							
Basic Radiation Dose Limit = 2.500E+01 mrem/yr							
Total Mixture Sum M(t) = Fraction of Basic Dose Limit Received at Time (t)							
<hr/>							
t (years):	0.000E+00 1.000E+02 9.150E+03 1.000E+05						
TDOSE(t):	0.000E+00 0.000E+00 2.013E+04 0.000E+00						
M(t):	0.000E+00 0.000E+00 8.052E+02 0.000E+00						
0Maximum TDOSE(t):	2.013E+04 mrem/yr	at t =	9153 ± * years				
<hr/>							
0 Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)							
As mrem/yr and Fraction of Total Dose At t = 9.153E+03 years							
Water Independent Pathways (Inhalation excludes radon)							
<hr/>							
Radio-	Ground	Inhalation	Radon	Plant	Meat	Milk	Soil
Nuclide	mrem/yr fract.	mrem/yr fract.	mrem/yr fract.	mrem/yr fract.	mrem/yr fract.	mrem/yr fract.	mrem/yr fract.
<hr/>							
Pb-210	0.000E+00 0.0000	0.000E+00 0.0000	0.000E+00 0.0000	0.000E+00 0.0000	0.000E+00 0.0000	0.000E+00 0.0000	0.000E+00 0.0000
Ra-226	2.219E+03 0.1103	8.593E-01 0.0000	0.000E+00 0.0000	0.000E+00 0.0000	0.000E+00 0.0000	0.000E+00 0.0000	0.000E+00 0.0000
Th-230	1.783E+04 0.8858	7.723E+01 0.0038	0.000E+00 0.0000				
Total	2.005E+04 0.9961	7.809E+01 0.0039	0.000E+00 0.0000				
<hr/>							
0 Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)							
As mrem/yr and Fraction of Total Dose At t = 9.153E+03 years							
Water Dependent Pathways							
<hr/>							
Radio-	Water	Fish	Radon	Plant	Meat	Milk	All Pathways*
Nuclide	mrem/yr fract.	mrem/yr fract.	mrem/yr fract.	mrem/yr fract.	mrem/yr fract.	mrem/yr fract.	mrem/yr fract.
<hr/>							
Pb-210	0.000E+00 0.0000	0.000E+00 0.0000	0.000E+00 0.0000	0.000E+00 0.0000	0.000E+00 0.0000	0.000E+00 0.0000	0.000E+00 0.0000
Ra-226	0.000E+00 0.0000	0.000E+00 0.0000	0.000E+00 0.0000	0.000E+00 0.0000	0.000E+00 0.0000	0.000E+00 0.0000	2.220E+03 0.1103
Th-230	0.000E+00 0.0000	0.000E+00 0.0000	0.000E+00 0.0000	0.000E+00 0.0000	0.000E+00 0.0000	0.000E+00 0.0000	1.791E+04 0.8897

Fernald_WCS_disposal_Rancher-0-001.sum

Total	0.000E+00	0.0000	2.013E+04	1.0000										
-------	-----------	--------	-----------	--------	-----------	--------	-----------	--------	-----------	--------	-----------	--------	-----------	--------

0*Sum of all water independent and dependent pathways.

1RESRAD, Version 6.22 T½ Limit = 0.5 year 03/07/2006 14:52 Page 10

Summary : Fernald dose calculation

File : Fernald_WCS_disposal_Rancher-0-001.rad

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)

As mrem/yr and Fraction of Total Dose At t = 0.000E+00 years

Water Independent Pathways (Inhalation excludes radon)

Radio-Nuclide	Ground		Inhalation		Radon		Plant		Meat		Milk		Soil	
	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
Pb-210	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Ra-226	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Th-230	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Total	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000

0

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)

As mrem/yr and Fraction of Total Dose At t = 0.000E+00 years

Water Dependent Pathways

Radio-Nuclide	Water		Fish		Radon		Plant		Meat		Milk		All Pathways*	
	mrem/yr	fract.	mrem/yr	fract.										
Pb-210	0.000E+00	0.0000	0.000E+00	0.0000										
Ra-226	0.000E+00	0.0000	0.000E+00	0.0000										
Th-230	0.000E+00	0.0000	0.000E+00	0.0000										
Total	0.000E+00	0.0000	0.000E+00	0.0000										

0

*Sum of all water independent and dependent pathways.

1RESRAD, Version 6.22 T½ Limit = 0.5 year 03/07/2006 14:52 Page 11

Summary : Fernald dose calculation

File : Fernald_WCS_disposal_Rancher-0-001.rad

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)

As mrem/yr and Fraction of Total Dose At t = 1.000E+02 years

Water Independent Pathways (Inhalation excludes radon)

Radio-Nuclide	Ground		Inhalation		Radon		Plant		Meat		Milk		Soil	
	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
Pb-210	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Ra-226	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Th-230	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Total	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000

0

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)

As mrem/yr and Fraction of Total Dose At t = 1.000E+02 years

Radio-Nuclide	Fernald_WCS_disposal_Rancher-0-001.sum Water Dependent Pathways										All Pathways*	
	Water		Fish		Radon		Plant		Meat			
	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
Pb-210	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Ra-226	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Th-230	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Total	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000

*Sum of all water independent and dependent pathways.

1RESRAD, Version 6.22 $T_{\frac{1}{2}}$ Limit = 0.5 year 03/07/2006 14:52 Page 12
 Summary : Fernald dose calculation
 File : Fernald_WCS_disposal_Rancher-0-001.rad

Radio-Nuclide	Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p) As mrem/yr and Fraction of Total Dose At t = 9.150E+03 years Water Independent Pathways (Inhalation excludes radon)										Soil	
	Ground		Inhalation		Radon		Plant		Meat			
	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
Pb-210	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Ra-226	2.222E+03	0.1104	8.604E-01	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Th-230	1.783E+04	0.8857	7.723E+01	0.0038	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Total	2.005E+04	0.9961	7.809E+01	0.0039	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
As mrem/yr and Fraction of Total Dose At t = 9.150E+03 years

Radio-Nuclide	Water Dependent Pathways										All Pathways*	
	Water		Fish		Radon		Plant		Meat			
	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
Pb-210	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Ra-226	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.1104
Th-230	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.8896
Total	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	1.0000

*Sum of all water independent and dependent pathways.

1RESRAD, Version 6.22 $T_{\frac{1}{2}}$ Limit = 0.5 year 03/07/2006 14:52 Page 13
 Summary : Fernald dose calculation
 File : Fernald_WCS_disposal_Rancher-0-001.rad

Radio-Nuclide	Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p) As mrem/yr and Fraction of Total Dose At t = 1.000E+05 years Water Independent Pathways (Inhalation excludes radon)										Soil	
	Ground		Inhalation		Radon		Plant		Meat			
	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
Pb-210	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Ra-226	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.1104
Th-230	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.8896
Total	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	1.0000

Fernald WCS disposal_Rancher-0-001.sum														
Pb-210	0.000E+00	0.0000												
Ra-226	0.000E+00	0.0000												
Th-230	0.000E+00	0.0000												
Total	0.000E+00	0.0000												

0

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
As mrem/yr and Fraction of Total Dose At t = 1.000E+05 years

Water Dependent Pathways														
Radio-Nuclide	Water		Fish		Radon		Plant		Meat		Milk		All Pathways*	
	mrem/yr	fract.	mrem/yr	fract.										
Pb-210	0.000E+00	0.0000	0.000E+00	0.0000										
Ra-226	0.000E+00	0.0000	0.000E+00	0.0000										
Th-230	0.000E+00	0.0000	0.000E+00	0.0000										
Total	0.000E+00	0.0000	0.000E+00	0.0000										

0*Sum of all water independent and dependent pathways.

1RESRAD, Version 6.22 T½ Limit = 0.5 year 03/07/2006 14:52 Page 14

Summary : Fernald dose calculation

File : Fernald_WCS_disposal_Rancher-0-001.rad

Dose/Source Ratios Summed Over All Pathways

Parent	Product	Branch	DSR(j,t) (mrem/yr)/(nCi/g)				
(i)	(j)	Fraction*	t=	0.000E+00	1.000E+02	9.150E+03	1.000E+05
Pb-210	Pb-210	1.000E+00		0.000E+00	0.000E+00	0.000E+00	0.000E+00
0Ra-226	Ra-226	1.000E+00		0.000E+00	0.000E+00	1.972E+02	0.000E+00
Ra-226	Pb-210	1.000E+00		0.000E+00	0.000E+00	1.692E-01	0.000E+00
Ra-226	$\sum DSR(j)$			0.000E+00	0.000E+00	1.974E+02	0.000E+00
0Th-230	Th-230	1.000E+00		0.000E+00	0.000E+00	3.955E+01	0.000E+00
Th-230	Ra-226	1.000E+00		0.000E+00	0.000E+00	9.737E+03	0.000E+00
Th-230	Pb-210	1.000E+00		0.000E+00	0.000E+00	8.236E+00	0.000E+00
Th-230	$\sum DSR(j)$			0.000E+00	0.000E+00	9.785E+03	0.000E+00

*Branch Fraction is the cumulative factor for the j't principal radionuclide daughter: CUMBRF(j) = BRF(1)*BRF(2)* ... BRF(j).
The DSR includes contributions from associated (half-life ≤ 0.5 yr) daughters.

0

Single Radionuclide Soil Guidelines G(i,t) in nCi/g

Basic Radiation Dose Limit = 2.500E+01 mrem/yr

Nuclide	(i)	t=	0.000E+00	1.000E+02	9.150E+03	1.000E+05
Pb-210			*7.631E+10	*7.631E+10	*7.631E+10	*7.631E+10
Ra-226			*9.882E+08	*9.882E+08	1.266E-01	*9.882E+08
Th-230			*2.018E+07	*2.018E+07	2.555E-03	*2.018E+07

0*At specific activity limit

Summed Dose/Source Ratios DSR(i,t) in (mrem/yr)/(nCi/g)

Fernald_WCS_disposal_Rancher-0-001.sum

and Single Radionuclide Soil Guidelines $G(i,t)$ in nCi/g
at t_{min} = time of minimum single radionuclide soil guideline
and at t_{max} = time of maximum total dose = $9153 \pm *$ years

ONuclide	Initial (i) (nCi/g)	t_{min} (years)	$DSR(i,t_{min})$ (nCi/g)	$G(i,t_{min})$ (nCi/g)	$DSR(i,t_{max})$ (nCi/g)	$G(i,t_{max})$ (nCi/g)
Pb-210	5.480E+00	0.000E+00	0.000E+00	*7.631E+10	0.000E+00	*7.631E+10
Ra-226	1.126E+01	9150 $\pm *$	1.974E+02	1.266E-01	1.972E+02	1.268E-01
Th-230	1.830E+00	9153 $\pm *$	9.785E+03	2.555E-03	9.785E+03	2.555E-03

*At specific activity limit

1RESRAD, Version 6.22 $T_{1/2}$ Limit = 0.5 year 03/07/2006 14:52 Page 15
Summary : Fernald dose calculation
File : Fernald_WCS_disposal_Rancher-0-001.rad

Individual Nuclide Dose Summed Over All Pathways
Parent Nuclide and Branch Fraction Indicated

ONuclide	Parent (j)	BRF(i) (i)	$t= 0.000E+00$	$DOSE(j,t)$, mrem/yr 1.000E+02	$9.150E+03$	$1.000E+05$
Pb-210	Pb-210	1.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Pb-210	Ra-226	1.000E+00	0.000E+00	0.000E+00	1.905E+00	0.000E+00
Pb-210	Th-230	1.000E+00	0.000E+00	0.000E+00	1.507E+01	0.000E+00
Pb-210	$\Sigma DOSE(j)$		0.000E+00	0.000E+00	1.698E+01	0.000E+00
0Ra-226	Ra-226	1.000E+00	0.000E+00	0.000E+00	2.221E+03	0.000E+00
Ra-226	Th-230	1.000E+00	0.000E+00	0.000E+00	1.782E+04	0.000E+00
Ra-226	$\Sigma DOSE(j)$		0.000E+00	0.000E+00	2.004E+04	0.000E+00
0Th-230	Th-230	1.000E+00	0.000E+00	0.000E+00	7.237E+01	0.000E+00

BRF(i) is the branch fraction of the parent nuclide.

Individual Nuclide Soil Concentration
Parent Nuclide and Branch Fraction Indicated

ONuclide	Parent (j)	BRF(i) (i)	$t= 0.000E+00$	$S(j,t)$, nCi/g 1.000E+02	$9.150E+03$	$1.000E+05$
Pb-210	Pb-210	1.000E+00	5.480E+00	2.448E-01	0.000E+00	0.000E+00
Pb-210	Ra-226	1.000E+00	0.000E+00	1.042E+01	2.120E-01	1.367E-18
Pb-210	Th-230	1.000E+00	0.000E+00	5.395E-02	1.677E+00	7.553E-01
Pb-210	$\Sigma S(j)$:		5.480E+00	1.072E+01	1.889E+00	7.553E-01
0Ra-226	Ra-226	1.000E+00	1.126E+01	1.078E+01	2.090E-01	1.348E-18
Ra-226	Th-230	1.000E+00	0.000E+00	7.754E-02	1.677E+00	7.550E-01
Ra-226	$\Sigma S(j)$:		1.126E+01	1.086E+01	1.886E+00	7.550E-01
0Th-230	Th-230	1.000E+00	1.830E+00	1.828E+00	1.685E+00	7.437E-01

BRF(i) is the branch fraction of the parent nuclide.
0RESCALC.EXE execution time = 3.16 seconds