

Table of Contents

Part I: Mixture Sums and Single Radionuclide Guidelines

Dose Conversion Factor (and Related) Parameter Summary ... 2
 Site-Specific Parameter Summary 3
 Summary of Pathway Selections 7
 Contaminated Zone and Total Dose Summary 8
 Total Dose Components
 Time = 0.000E+00 9
 Time = 1.000E+03 10
 Time = 1.000E+04 11
 Time = 1.000E+05 12
 Dose/Source Ratios Summed Over All Pathways 13
 Single Radionuclide Soil Guidelines 13
 Dose Per Nuclide Summed Over All Pathways 14
 Soil Concentration Per Nuclide 14
 1RESRAD, Version 6.22 T½ Limit = 0.5 year 08/16/2006 16:14 Page 2
 Summary : RESRAD Default Parameters
 File : Silo3_rancher_highKd_LIR_LC_0.00055.RAD

Dose Conversion Factor (and Related) Parameter Summary
 File: FGR 13 Morbidity

Menu	Parameter	Current Value	Default	Parameter Name
B-1	Dose conversion factors for inhalation, mrem/pCi:			
B-1	Pb-210+D	2.320E-02	2.320E-02	DCF2 (1)
B-1	Ra-226+D	8.600E-03	8.600E-03	DCF2 (2)
B-1	Th-230	3.260E-01	3.260E-01	DCF2 (3)
D-1	Dose conversion factors for ingestion, mrem/pCi:			
D-1	Pb-210+D	7.270E-03	7.270E-03	DCF3 (1)
D-1	Ra-226+D	1.330E-03	1.330E-03	DCF3 (2)
D-1	Th-230	5.480E-04	5.480E-04	DCF3 (3)
D-34	Food transfer factors:			
D-34	Pb-210+D , plant/soil concentration ratio, dimensionless	1.000E-02	1.000E-02	RTF (1,1)
D-34	Pb-210+D , beef/livestock-intake ratio, (pCi/kg)/(pCi/d)	8.000E-04	8.000E-04	RTF (1,2)
D-34	Pb-210+D , milk/livestock-intake ratio, (pCi/L)/(pCi/d)	3.000E-04	3.000E-04	RTF (1,3)
D-34	Ra-226+D , plant/soil concentration ratio, dimensionless	4.000E-02	4.000E-02	RTF (2,1)
D-34	Ra-226+D , beef/livestock-intake ratio, (pCi/kg)/(pCi/d)	1.000E-03	1.000E-03	RTF (2,2)
D-34	Ra-226+D , milk/livestock-intake ratio, (pCi/L)/(pCi/d)	1.000E-03	1.000E-03	RTF (2,3)
D-34	Th-230 , plant/soil concentration ratio, dimensionless	1.000E-03	1.000E-03	RTF (3,1)
D-34	Th-230 , beef/livestock-intake ratio, (pCi/kg)/(pCi/d)	1.000E-04	1.000E-04	RTF (3,2)

Silo3_rancher_highKd_LIR_LC_0.sum

D-34	Th-230 , milk/livestock-intake ratio, (pCi/L)/(pCi/d)	5.000E-06	5.000E-06	RTF(3,3)
D-5	Bioaccumulation factors, fresh water, L/kg:			
D-5	Pb-210+D , fish	3.000E+02	3.000E+02	BIOFAC(1,1)
D-5	Pb-210+D , crustacea and mollusks	1.000E+02	1.000E+02	BIOFAC(1,2)
D-5				
D-5	Ra-226+D , fish	5.000E+01	5.000E+01	BIOFAC(2,1)
D-5	Ra-226+D , crustacea and mollusks	2.500E+02	2.500E+02	BIOFAC(2,2)
D-5				
D-5	Th-230 , fish	1.000E+02	1.000E+02	BIOFAC(3,1)
D-5	Th-230 , crustacea and mollusks	5.000E+02	5.000E+02	BIOFAC(3,2)

1RESRAD, Version 6.22 T½ Limit = 0.5 year 08/16/2006 16:14 Page 3
 Summary : RESRAD Default Parameters
 File : Silo3_rancher_highKd_LIR_LC_0.00055.RAD

Site-Specific Parameter Summary

Menu	Parameter	User Input	Default	Used by RESRAD (If different from user input)	Parameter Name
R011	Area of contaminated zone (m**2)	3.240E+02	1.000E+04	---	AREA
R011	Thickness of contaminated zone (m)	1.200E+01	2.000E+00	---	THICKO
R011	Length parallel to aquifer flow (m)	not used	1.000E+02	---	LCZPAQ
R011	Basic radiation dose limit (mrem/yr)	2.500E+01	2.500E+01	---	BRDL
R011	Time since placement of material (yr)	0.000E+00	0.000E+00	---	TI
R011	Times for calculations (yr)	1.000E+03	1.000E+00	---	T(2)
R011	Times for calculations (yr)	1.000E+04	3.000E+00	---	T(3)
R011	Times for calculations (yr)	1.000E+05	1.000E+01	---	T(4)
R011	Times for calculations (yr)	not used	3.000E+01	---	T(5)
R011	Times for calculations (yr)	not used	1.000E+02	---	T(6)
R011	Times for calculations (yr)	not used	3.000E+02	---	T(7)
R011	Times for calculations (yr)	not used	1.000E+03	---	T(8)
R011	Times for calculations (yr)	not used	0.000E+00	---	T(9)
R011	Times for calculations (yr)	not used	0.000E+00	---	T(10)
R012	Initial principal radionuclide (pCi/g): Pb-210	2.620E+03	0.000E+00	---	S1(1)
R012	Initial principal radionuclide (pCi/g): Ra-226	2.970E+03	0.000E+00	---	S1(2)
R012	Initial principal radionuclide (pCi/g): Th-230	5.120E+04	0.000E+00	---	S1(3)
R012	Concentration in groundwater (pCi/L): Pb-210	not used	0.000E+00	---	W1(1)
R012	Concentration in groundwater (pCi/L): Ra-226	not used	0.000E+00	---	W1(2)
R012	Concentration in groundwater (pCi/L): Th-230	not used	0.000E+00	---	W1(3)
R013	Cover depth (m)	3.200E+00	0.000E+00	---	COVERO
R013	Density of cover material (g/cm**3)	1.500E+00	1.500E+00	---	DENSCV
R013	Cover depth erosion rate (m/yr)	5.500E-04	1.000E-03	---	VCV
R013	Density of contaminated zone (g/cm**3)	1.800E+00	1.500E+00	---	DENSCZ
R013	Contaminated zone erosion rate (m/yr)	5.500E-04	1.000E-03	---	VCZ
R013	Contaminated zone total porosity	4.000E-01	4.000E-01	---	TPCZ
R013	Contaminated zone field capacity	2.000E-01	2.000E-01	---	FCCZ
R013	Contaminated zone hydraulic conductivity (m/yr)	1.000E+01	1.000E+01	---	HCCZ
R013	Contaminated zone b parameter	5.300E+00	5.300E+00	---	BCZ
R013	Average annual wind speed (m/sec)	2.000E+00	2.000E+00	---	WIND

Silo3_rancher_highKd_LIR_LC_0.sum

R013	Humidity in air (g/m**3)	not used	8.000E+00	---	HUMID
R013	Evapotranspiration coefficient	5.000E-01	5.000E-01	---	EVAPTR
R013	Precipitation (m/yr)	2.000E-01	1.000E+00	---	PRECIP
R013	Irrigation (m/yr)	0.000E+00	2.000E-01	---	RI
R013	Irrigation mode	overhead	overhead	---	IDITCH
R013	Runoff coefficient	9.740E-01	2.000E-01	---	RUNOFF
R013	Watershed area for nearby stream or pond (m**2)	not used	1.000E+06	---	WAREA
R013	Accuracy for water/soil computations	not used	1.000E-03	---	EPS
R014	Density of saturated zone (g/cm**3)	not used	1.500E+00	---	DENSAQ
R014	Saturated zone total porosity	not used	4.000E-01	---	TPSZ
R014	Saturated zone effective porosity	not used	2.000E-01	---	EPSZ
R014	Saturated zone field capacity	not used	2.000E-01	---	FCSZ
R014	Saturated zone hydraulic conductivity (m/yr)	not used	1.000E+02	---	HCSZ
R014	Saturated zone hydraulic gradient	not used	2.000E-02	---	HGWT
R014	Saturated zone b parameter	not used	5.300E+00	---	BSZ
R014	Water table drop rate (m/yr)	not used	1.000E-03	---	VWT
R014	Well pump intake depth (m below water table)	not used	1.000E+01	---	DWIBWT

1RESRAD, Version 6.22 T½ Limit = 0.5 year 08/16/2006 16:14 Page 4
 Summary : RESRAD Default Parameters
 File : Silo3_rancher_highKd_LIR_LC_0.00055.RAD

Site-Specific Parameter Summary (continued)

Menu	Parameter	User Input	Default	Used by RESRAD (If different from user input)	Parameter Name
R014	Model: Nondispersion (ND) or Mass-Balance (MB)	not used	ND	---	MODEL
R014	Well pumping rate (m**3/yr)	not used	2.500E+02	---	UW
R015	Number of unsaturated zone strata	not used	1	---	NS
R015	Unsat. zone 1, thickness (m)	not used	4.000E+00	---	H(1)
R015	Unsat. zone 1, soil density (g/cm**3)	not used	1.500E+00	---	DENSUZ(1)
R015	Unsat. zone 1, total porosity	not used	4.000E-01	---	TPUZ(1)
R015	Unsat. zone 1, effective porosity	not used	2.000E-01	---	EPUZ(1)
R015	Unsat. zone 1, field capacity	not used	2.000E-01	---	FCUZ(1)
R015	Unsat. zone 1, soil-specific b parameter	not used	5.300E+00	---	BUZ(1)
R015	Unsat. zone 1, hydraulic conductivity (m/yr)	not used	1.000E+01	---	HCUZ(1)
R015	Unsat. zone 2, thickness (m)	not used	0.000E+00	---	H(2)
R015	Unsat. zone 2, soil density (g/cm**3)	not used	1.500E+00	---	DENSUZ(2)
R015	Unsat. zone 2, total porosity	not used	4.000E-01	---	TPUZ(2)
R015	Unsat. zone 2, effective porosity	not used	2.000E-01	---	EPUZ(2)
R015	Unsat. zone 2, field capacity	not used	2.000E-01	---	FCUZ(2)
R015	Unsat. zone 2, soil-specific b parameter	not used	5.300E+00	---	BUZ(2)
R015	Unsat. zone 2, hydraulic conductivity (m/yr)	not used	1.000E+01	---	HCUZ(2)
R016	Distribution coefficients for Pb-210				
R016	Contaminated zone (cm**3/g)	1.000E+02	1.000E+02	---	DCNUCC(1)
R016	Unsat. zone 1 (cm**3/g)	not used	1.000E+02	---	DCNUCU(1,1)
R016	Unsat. zone 2 (cm**3/g)	not used	1.000E+02	---	DCNUCU(1,2)
R016	Saturated zone (cm**3/g)	not used	1.000E+02	---	DCNUCS(1)
R016	Leach rate (/yr)	0.000E+00	0.000E+00	1.202E-06	ALEACH(1)

Silo3_rancher_highKd_LIR_LC_0.sum					
R016	Solubility constant	0.000E+00	0.000E+00	not used	SOLUBK (1)
R016	Distribution coefficients for Ra-226				
R016	Contaminated zone (cm**3/g)	7.000E+01	7.000E+01	---	DCNUCC (2)
R016	Unsaturated zone 1 (cm**3/g)	not used	7.000E+01	---	DCNUCU (2,1)
R016	Unsaturated zone 2 (cm**3/g)	not used	7.000E+01	---	DCNUCU (2,2)
R016	Saturated zone (cm**3/g)	not used	7.000E+01	---	DCNUCS (2)
R016	Leach rate (/yr)	0.000E+00	0.000E+00	1.717E-06	ALEACH (2)
R016	Solubility constant	0.000E+00	0.000E+00	not used	SOLUBK (2)
R016	Distribution coefficients for Th-230				
R016	Contaminated zone (cm**3/g)	6.000E+04	6.000E+04	---	DCNUCC (3)
R016	Unsaturated zone 1 (cm**3/g)	not used	6.000E+04	---	DCNUCU (3,1)
R016	Unsaturated zone 2 (cm**3/g)	not used	6.000E+04	---	DCNUCU (3,2)
R016	Saturated zone (cm**3/g)	not used	6.000E+04	---	DCNUCS (3)
R016	Leach rate (/yr)	0.000E+00	0.000E+00	2.006E-09	ALEACH (3)
R016	Solubility constant	0.000E+00	0.000E+00	not used	SOLUBK (3)
R017	Inhalation rate (m**3/yr)	8.400E+03	8.400E+03	---	INHALR
R017	Mass loading for inhalation (g/m**3)	1.000E-04	1.000E-04	---	MLINH
R017	Exposure duration	3.000E+01	3.000E+01	---	ED
R017	Shielding factor, inhalation	4.000E-01	4.000E-01	---	SHF3
R017	Shielding factor, external gamma	7.000E-01	7.000E-01	---	SHF1
R017	Fraction of time spent indoors	5.000E-01	5.000E-01	---	FIND
RESRAD, Version 6.22 T½ Limit = 0.5 year 08/16/2006 16:14 Page 5					
Summary : RESRAD Default Parameters					
File : Silo3_rancher_highKd_LIR_LC_0.00055.RAD					

Site-Specific Parameter Summary (continued)

Menu	Parameter	User Input	Default	Used by RESRAD (If different from user input)	Parameter Name
R017	Fraction of time spent outdoors (on site)	2.500E-01	2.500E-01	---	FOTD
R017	Shape factor flag, external gamma	1.000E+00	1.000E+00	>0 shows circular AREA.	FS
R017	Radii of shape factor array (used if FS = -1):				
R017	Outer annular radius (m), ring 1:	not used	5.000E+01	---	RAD_SHAPE (1)
R017	Outer annular radius (m), ring 2:	not used	7.071E+01	---	RAD_SHAPE (2)
R017	Outer annular radius (m), ring 3:	not used	0.000E+00	---	RAD_SHAPE (3)
R017	Outer annular radius (m), ring 4:	not used	0.000E+00	---	RAD_SHAPE (4)
R017	Outer annular radius (m), ring 5:	not used	0.000E+00	---	RAD_SHAPE (5)
R017	Outer annular radius (m), ring 6:	not used	0.000E+00	---	RAD_SHAPE (6)
R017	Outer annular radius (m), ring 7:	not used	0.000E+00	---	RAD_SHAPE (7)
R017	Outer annular radius (m), ring 8:	not used	0.000E+00	---	RAD_SHAPE (8)
R017	Outer annular radius (m), ring 9:	not used	0.000E+00	---	RAD_SHAPE (9)
R017	Outer annular radius (m), ring 10:	not used	0.000E+00	---	RAD_SHAPE (10)
R017	Outer annular radius (m), ring 11:	not used	0.000E+00	---	RAD_SHAPE (11)
R017	Outer annular radius (m), ring 12:	not used	0.000E+00	---	RAD_SHAPE (12)
R017	Fractions of annular areas within AREA:				
R017	Ring 1	not used	1.000E+00	---	FRACA (1)
R017	Ring 2	not used	2.732E-01	---	FRACA (2)
R017	Ring 3	not used	0.000E+00	---	FRACA (3)

Silo3_rancher_highKd_LIR_LC_0.sum

R017	Ring 4	not used	0.000E+00	---	FRACA (4)
R017	Ring 5	not used	0.000E+00	---	FRACA (5)
R017	Ring 6	not used	0.000E+00	---	FRACA (6)
R017	Ring 7	not used	0.000E+00	---	FRACA (7)
R017	Ring 8	not used	0.000E+00	---	FRACA (8)
R017	Ring 9	not used	0.000E+00	---	FRACA (9)
R017	Ring 10	not used	0.000E+00	---	FRACA (10)
R017	Ring 11	not used	0.000E+00	---	FRACA (11)
R017	Ring 12	not used	0.000E+00	---	FRACA (12)
R018	Fruits, vegetables and grain consumption (kg/yr)	not used	1.600E+02	---	DIET (1)
R018	Leafy vegetable consumption (kg/yr)	not used	1.400E+01	---	DIET (2)
R018	Milk consumption (L/yr)	not used	9.200E+01	---	DIET (3)
R018	Meat and poultry consumption (kg/yr)	not used	6.300E+01	---	DIET (4)
R018	Fish consumption (kg/yr)	not used	5.400E+00	---	DIET (5)
R018	Other seafood consumption (kg/yr)	not used	9.000E-01	---	DIET (6)
R018	Soil ingestion rate (g/yr)	not used	3.650E+01	---	SOIL
R018	Drinking water intake (L/yr)	not used	5.100E+02	---	DWI
R018	Contamination fraction of drinking water	not used	1.000E+00	---	FDW
R018	Contamination fraction of household water	not used	1.000E+00	---	FHHW
R018	Contamination fraction of livestock water	not used	1.000E+00	---	FLW
R018	Contamination fraction of irrigation water	not used	1.000E+00	---	FIRW
R018	Contamination fraction of aquatic food	not used	5.000E-01	---	FR9
R018	Contamination fraction of plant food	not used	-1	---	FPLANT
R018	Contamination fraction of meat	not used	-1	---	FMEAT
R018	Contamination fraction of milk	not used	-1	---	FMILK
R019	Livestock fodder intake for meat (kg/day)	not used	6.800E+01	---	LFI5
R019	Livestock fodder intake for milk (kg/day)	not used	5.500E+01	---	LFI6
R019	Livestock water intake for meat (L/day)	not used	5.000E+01	---	LWI5

1RESRAD, Version 6.22 T½ Limit = 0.5 year 08/16/2006 16:14 Page 6
 Summary : RESRAD Default Parameters
 File : Silo3_rancher_highKd_LIR_LC_0.00055.RAD

Site-Specific Parameter Summary (continued)

0	Menu	Parameter	User Input	Default	Used by RESRAD (If different from user input)	Parameter Name
	R019	Livestock water intake for milk (L/day)	not used	1.600E+02	---	LWI6
	R019	Livestock soil intake (kg/day)	not used	5.000E-01	---	LSI
	R019	Mass loading for foliar deposition (g/m**3)	not used	1.000E-04	---	MLFD
	R019	Depth of soil mixing layer (m)	1.500E-01	1.500E-01	---	DM
	R019	Depth of roots (m)	not used	9.000E-01	---	DROOT
	R019	Drinking water fraction from ground water	not used	1.000E+00	---	FGWDW
	R019	Household water fraction from ground water	not used	1.000E+00	---	FGWHH
	R019	Livestock water fraction from ground water	not used	1.000E+00	---	FGWLW
	R019	Irrigation fraction from ground water	not used	1.000E+00	---	FGWIR
	R19B	Wet weight crop yield for Non-Leafy (kg/m**2)	not used	7.000E-01	---	YV (1)
	R19B	Wet weight crop yield for Leafy (kg/m**2)	not used	1.500E+00	---	YV (2)
	R19B	Wet weight crop yield for Fodder (kg/m**2)	not used	1.100E+00	---	YV (3)
	R19B	Growing Season for Non-Leafy (years)	not used	1.700E-01	---	TE (1)

Silo3_rancher_highKd_LIR_LC_0.sum

R19B	Growing Season for Leafy (years)	not used	2.500E-01	---	TE (2)
R19B	Growing Season for Fodder (years)	not used	8.000E-02	---	TE (3)
R19B	Translocation Factor for Non-Leafy	not used	1.000E-01	---	TIV (1)
R19B	Translocation Factor for Leafy	not used	1.000E+00	---	TIV (2)
R19B	Translocation Factor for Fodder	not used	1.000E+00	---	TIV (3)
R19B	Dry Foliar Interception Fraction for Non-Leafy	not used	2.500E-01	---	RDRY (1)
R19B	Dry Foliar Interception Fraction for Leafy	not used	2.500E-01	---	RDRY (2)
R19B	Dry Foliar Interception Fraction for Fodder	not used	2.500E-01	---	RDRY (3)
R19B	Wet Foliar Interception Fraction for Non-Leafy	not used	2.500E-01	---	RWET (1)
R19B	Wet Foliar Interception Fraction for Leafy	not used	2.500E-01	---	RWET (2)
R19B	Wet Foliar Interception Fraction for Fodder	not used	2.500E-01	---	RWET (3)
R19B	Weathering Removal Constant for Vegetation	not used	2.000E+01	---	WLAM
C14	C-12 concentration in water (g/cm**3)	not used	2.000E-05	---	C12WTR
C14	C-12 concentration in contaminated soil (g/g)	not used	3.000E-02	---	C12CZ
C14	Fraction of vegetation carbon from soil	not used	2.000E-02	---	CSOIL
C14	Fraction of vegetation carbon from air	not used	9.800E-01	---	CAIR
C14	C-14 evasion layer thickness in soil (m)	not used	3.000E-01	---	DMC
C14	C-14 evasion flux rate from soil (1/sec)	not used	7.000E-07	---	EVSN
C14	C-12 evasion flux rate from soil (1/sec)	not used	1.000E-10	---	REVSN
C14	Fraction of grain in beef cattle feed	not used	8.000E-01	---	AVFG4
C14	Fraction of grain in milk cow feed	not used	2.000E-01	---	AVFG5
C14	DCF correction factor for gaseous forms of C14	not used	8.894E+01	---	CO2F
STOR	Storage times of contaminated foodstuffs (days):				
STOR	Fruits, non-leafy vegetables, and grain	1.400E+01	1.400E+01	---	STOR_T (1)
STOR	Leafy vegetables	1.000E+00	1.000E+00	---	STOR_T (2)
STOR	Milk	1.000E+00	1.000E+00	---	STOR_T (3)
STOR	Meat and poultry	2.000E+01	2.000E+01	---	STOR_T (4)
STOR	Fish	7.000E+00	7.000E+00	---	STOR_T (5)
STOR	Crustacea and mollusks	7.000E+00	7.000E+00	---	STOR_T (6)
STOR	Well water	1.000E+00	1.000E+00	---	STOR_T (7)
STOR	Surface water	1.000E+00	1.000E+00	---	STOR_T (8)
STOR	Livestock fodder	4.500E+01	4.500E+01	---	STOR_T (9)
R021	Thickness of building foundation (m)	not used	1.500E-01	---	FLOOR1

1RESRAD, Version 6.22 T½ Limit = 0.5 year 08/16/2006 16:14 Page 7

Summary : RESRAD Default Parameters
File : Silo3_rancher_highKd_LIR_LC_0.00055.RAD

Site-Specific Parameter Summary (continued)

0 Menu	Parameter	User Input	Default	Used by RESRAD (If different from user input)	Parameter Name
R021	Bulk density of building foundation (g/cm**3)	not used	2.400E+00	---	DENSFL
R021	Total porosity of the cover material	not used	4.000E-01	---	TPCV
R021	Total porosity of the building foundation	not used	1.000E-01	---	TPFL
R021	Volumetric water content of the cover material	not used	5.000E-02	---	PH2OCV
R021	Volumetric water content of the foundation	not used	3.000E-02	---	PH2OFL
R021	Diffusion coefficient for radon gas (m/sec):				
R021	in cover material	not used	2.000E-06	---	DIFCV
R021	in foundation material	not used	3.000E-07	---	DIFFL

Silo3_rancher_highKd_LIR_LC_0.sum						
R021	in contaminated zone soil	not used	2.000E-06	---	---	DIFCZ
R021	Radon vertical dimension of mixing (m)	not used	2.000E+00	---	---	HMIX
R021	Average building air exchange rate (1/hr)	not used	5.000E-01	---	---	REXG
R021	Height of the building (room) (m)	not used	2.500E+00	---	---	HRM
R021	Building interior area factor	not used	0.000E+00	---	---	FAI
R021	Building depth below ground surface (m)	not used	-1.000E+00	---	---	DMFL
R021	Emanating power of Rn-222 gas	not used	2.500E-01	---	---	EMANA (1)
R021	Emanating power of Rn-220 gas	not used	1.500E-01	---	---	EMANA (2)
TITL	Number of graphical time points	32	---	---	---	NPTS
TITL	Maximum number of integration points for dose	17	---	---	---	LYMAX
TITL	Maximum number of integration points for risk	257	---	---	---	KYMAX

Summary of Pathway Selections

Pathway	User Selection
1 -- external gamma	active
2 -- inhalation (w/o radon)	active
3 -- plant ingestion	suppressed
4 -- meat ingestion	suppressed
5 -- milk ingestion	suppressed
6 -- aquatic foods	suppressed
7 -- drinking water	suppressed
8 -- soil ingestion	suppressed
9 -- radon	suppressed
Find peak pathway doses	active

1RESRAD, Version 6.22 T½ Limit = 0.5 year 08/16/2006 16:14 Page 8
 Summary : RESRAD Default Parameters
 File : Silo3_rancher_highKd_LIR_LC_0.00055.RAD

Contaminated Zone Dimensions		Initial Soil Concentrations, pCi/g	
Area:	324.00 square meters	Pb-210	2.620E+03
Thickness:	12.00 meters	Ra-226	2.970E+03
Cover Depth:	3.20 meters	Th-230	5.120E+04

0
 Total Dose TDOSE(t), mrem/yr
 Basic Radiation Dose Limit = 2.500E+01 mrem/yr
 Total Mixture Sum M(t) = Fraction of Basic Dose Limit Received at Time (t)

t (years):	0.000E+00	1.000E+03	1.000E+04	1.000E+05
TDOSE(t):	9.288E-14	5.818E-10	2.723E+05	0.000E+00
M(t):	3.715E-15	2.327E-11	1.089E+04	0.000E+00
0Maximum TDOSE(t):	2.728E+05 mrem/yr		at t = 8954 ± * years	

0
 Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
 As mrem/yr and Fraction of Total Dose At t = 8.954E+03 years

Silo3_rancher_highKd_LIR_LC_0.sum

0
0

Water Independent Pathways (Inhalation excludes radon)

Radio- Nuclide	Ground		Inhalation		Radon		Plant		Meat		Milk		Soil	
	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
Pb-210	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Ra-226	3.495E+02	0.0013	8.692E-02	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Th-230	2.717E+05	0.9959	7.561E+02	0.0028	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Total	2.720E+05	0.9972	7.561E+02	0.0028	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000

0
0

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
As mrem/yr and Fraction of Total Dose At t = 8.954E+03 years

Water Dependent Pathways

Radio- Nuclide	Water		Fish		Radon		Plant		Meat		Milk		All Pathways*	
	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
Pb-210	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Ra-226	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	3.496E+02	0.0013
Th-230	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	2.725E+05	0.9987
Total	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	2.728E+05	1.0000

0*Sum of all water independent and dependent pathways.

1RESRAD, Version 6.22 T½ Limit = 0.5 year 08/16/2006 16:14 Page 9

Summary : RESRAD Default Parameters
File : Silo3_rancher_highKd_LIR_LC_0.00055.RAD

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
As mrem/yr and Fraction of Total Dose At t = 0.000E+00 years

Water Independent Pathways (Inhalation excludes radon)

Radio- Nuclide	Ground		Inhalation		Radon		Plant		Meat		Milk		Soil	
	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
Pb-210	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Ra-226	9.254E-14	0.9963	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Th-230	3.460E-16	0.0037	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Total	9.288E-14	1.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000

0
0

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
As mrem/yr and Fraction of Total Dose At t = 0.000E+00 years

Water Dependent Pathways

Radio- Nuclide	Water		Fish		Radon		Plant		Meat		Milk		All Pathways*	
	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
Pb-210	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Ra-226	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	9.254E-14	0.9963

Silo3_rancher_highKd_LIR_LC_0.sum

Th-230	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	3.460E-16	0.0037
Total	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	9.288E-14	1.0000

0*Sum of all water independent and dependent pathways.
 1RESRAD, Version 6.22 T½ Limit = 0.5 year 08/16/2006 16:14 Page 10
 Summary : RESRAD Default Parameters
 File : Silo3_rancher_highKd_LIR_LC_0.00055.RAD

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
 As mrem/yr and Fraction of Total Dose At t = 1.000E+03 years
 Water Independent Pathways (Inhalation excludes radon)

Radio-Nuclide	Ground		Inhalation		Radon		Plant		Meat		Milk		Soil	
	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
Pb-210	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Ra-226	5.640E-11	0.0969	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Th-230	5.254E-10	0.9031	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Total	5.818E-10	1.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
 As mrem/yr and Fraction of Total Dose At t = 1.000E+03 years
 Water Dependent Pathways

Radio-Nuclide	Water		Fish		Radon		Plant		Meat		Milk		All Pathways*	
	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
Pb-210	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Ra-226	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	5.640E-11	0.0969
Th-230	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	5.254E-10	0.9031
Total	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	5.818E-10	1.0000

0*Sum of all water independent and dependent pathways.
 1RESRAD, Version 6.22 T½ Limit = 0.5 year 08/16/2006 16:14 Page 11
 Summary : RESRAD Default Parameters
 File : Silo3_rancher_highKd_LIR_LC_0.00055.RAD

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
 As mrem/yr and Fraction of Total Dose At t = 1.000E+04 years
 Water Independent Pathways (Inhalation excludes radon)

Radio-Nuclide	Ground		Inhalation		Radon		Plant		Meat		Milk		Soil	
	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
Pb-210	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Ra-226	2.218E+02	0.0008	5.515E-02	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Th-230	2.713E+05	0.9964	7.495E+02	0.0028	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Total	2.716E+05	0.9972	7.496E+02	0.0028	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)

Silo3_rancher_highKd_LIR_LC_0.sum
As mrem/yr and Fraction of Total Dose At t = 1.000E+04 years

Radio-Nuclide	Water		Fish		Radon		Plant		Meat		Milk		All Pathways*	
	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
Pb-210	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Ra-226	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	2.218E+02	0.0008
Th-230	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	2.721E+05	0.9992
Total	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	2.723E+05	1.0000

0*Sum of all water independent and dependent pathways.

1RESRAD, Version 6.22 T½ Limit = 0.5 year 08/16/2006 16:14 Page 12

Summary : RESRAD Default Parameters

File : Silo3_rancher_highKd_LIR_LC_0.00055.RAD

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)

As mrem/yr and Fraction of Total Dose At t = 1.000E+05 years

Radio-Nuclide	Ground		Inhalation		Radon		Plant		Meat		Milk		Soil	
	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
Pb-210	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Ra-226	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Th-230	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Total	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)

As mrem/yr and Fraction of Total Dose At t = 1.000E+05 years

Radio-Nuclide	Water		Fish		Radon		Plant		Meat		Milk		All Pathways*	
	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
Pb-210	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Ra-226	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Th-230	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Total	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000

0*Sum of all water independent and dependent pathways.

1RESRAD, Version 6.22 T½ Limit = 0.5 year 08/16/2006 16:14 Page 13

Summary : RESRAD Default Parameters

File : Silo3_rancher_highKd_LIR_LC_0.00055.RAD

Dose/Source Ratios Summed Over All Pathways

Parent and Progeny Principal Radionuclide Contributions Indicated			
Parent (i)	Product (j)	Branch Fraction*	DSR(j,t) (mrem/yr)/(pCi/g) t=
Pb-210	Pb-210	1.000E+00	9.029E-40 0.000E+00 0.000E+00 0.000E+00

Silo3_rancher_highKd_LIR_LC_0.sum

ORa-226	Ra-226	1.000E+00	3.116E-17	1.899E-14	7.463E-02	0.000E+00
Ra-226	Pb-210	1.000E+00	1.414E-41	1.121E-33	5.634E-05	0.000E+00
Ra-226	∑DSR(j)		3.116E-17	1.899E-14	7.468E-02	0.000E+00
0Th-230	Th-230	1.000E+00	6.586E-43	3.267E-36	1.393E-02	0.000E+00
Th-230	Ra-226	1.000E+00	6.757E-21	1.026E-14	5.296E+00	0.000E+00
Th-230	Pb-210	1.000E+00	1.401E-45	5.819E-34	3.943E-03	0.000E+00
Th-230	∑DSR(j)		6.757E-21	1.026E-14	5.314E+00	0.000E+00

*Branch Fraction is the cumulative factor for the j't principal radionuclide daughter: CUMBRF(j) = BRF(1)*BRF(2)* ... BRF(j).
The DSR includes contributions from associated (half-life ≤ 0.5 yr) daughters.

0

Single Radionuclide Soil Guidelines G(i,t) in pCi/g
Basic Radiation Dose Limit = 2.500E+01 mrem/yr

ONuclide	t=	0.000E+00	1.000E+03	1.000E+04	1.000E+05
(i)					
Pb-210	*7.631E+13	*7.631E+13	*7.631E+13	*7.631E+13	*7.631E+13
Ra-226	*9.882E+11	*9.882E+11	3.347E+02	*9.882E+11	
Th-230	*2.018E+10	*2.018E+10	4.704E+00	*2.018E+10	

*At specific activity limit

0

Summed Dose/Source Ratios DSR(i,t) in (mrem/yr)/(pCi/g)
and Single Radionuclide Soil Guidelines G(i,t) in pCi/g
at tmin = time of minimum single radionuclide soil guideline
and at tmax = time of maximum total dose = 8954 ± * years

ONuclide	Initial	tmin	DSR(i,tmin)	G(i,tmin)	DSR(i,tmax)	G(i,tmax)
(i)	(pCi/g)	(years)		(pCi/g)		(pCi/g)
Pb-210	2.620E+03	0.000E+00	0.000E+00	*7.631E+13	0.000E+00	*7.631E+13
Ra-226	2.970E+03	5817 ± *	4.634E-01	5.395E+01	1.177E-01	2.124E+02
Th-230	5.120E+04	9101 ± *	5.322E+00	4.698E+00	5.321E+00	4.698E+00

*At specific activity limit

1RESRAD, Version 6.22 T½ Limit = 0.5 year 08/16/2006 16:14 Page 14
Summary : RESRAD Default Parameters
File : Silo3_rancher_highKd_LIR_LC_0.00055.RAD

Individual Nuclide Dose Summed Over All Pathways
Parent Nuclide and Branch Fraction Indicated

ONuclide	Parent	BRF(i)	DOSE(j,t), mrem/yr			
(j)	(i)		t= 0.000E+00	1.000E+03	1.000E+04	1.000E+05
Pb-210	Pb-210	1.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Pb-210	Ra-226	1.000E+00	0.000E+00	0.000E+00	1.673E-01	0.000E+00
Pb-210	Th-230	1.000E+00	0.000E+00	0.000E+00	2.019E+02	0.000E+00
Pb-210	∑DOSE(j)		0.000E+00	0.000E+00	2.021E+02	0.000E+00
0Ra-226	Ra-226	1.000E+00	9.254E-14	5.640E-11	2.216E+02	0.000E+00
Ra-226	Th-230	1.000E+00	3.460E-16	5.254E-10	2.712E+05	0.000E+00
Ra-226	∑DOSE(j)		9.288E-14	5.818E-10	2.714E+05	0.000E+00
0Th-230	Th-230	1.000E+00	0.000E+00	0.000E+00	7.132E+02	0.000E+00

BRF(i) is the branch fraction of the parent nuclide.

Individual Nuclide Soil Concentration						
Parent Nuclide and Branch Fraction Indicated						
0Nuclide	Parent	BRF(i)	S(j,t), pCi/g			
(j)	(i)		t= 0.000E+00	1.000E+03	1.000E+04	1.000E+05
Pb-210	Pb-210	1.000E+00	2.620E+03	8.292E-11	0.000E+00	0.000E+00
Pb-210	Ra-226	1.000E+00	0.000E+00	1.950E+03	3.890E+01	3.890E-16
Pb-210	Th-230	1.000E+00	0.000E+00	1.744E+04	4.692E+04	2.117E+04
Pb-210	ΣS(j):		2.620E+03	1.939E+04	4.696E+04	2.117E+04
0Ra-226	Ra-226	1.000E+00	2.970E+03	1.923E+03	3.836E+01	3.836E-16
Ra-226	Th-230	1.000E+00	0.000E+00	1.790E+04	4.692E+04	2.116E+04
Ra-226	ΣS(j):		2.970E+03	1.982E+04	4.696E+04	2.116E+04
0Th-230	Th-230	1.000E+00	5.120E+04	5.074E+04	4.679E+04	2.081E+04

BRF(i) is the branch fraction of the parent nuclide.
 ORESALC.EXE execution time = 1.51 seconds